**L.N. 185 of 2008**

# PESTICIDES CONTROL ACT
# (CAP. 430)

## Maximum Residue Levels of Pesticides in Produce of Plant Origin (Amendment) (No. 2) Regulations, 2008

IN exercise of the powers conferred by articles 4 and 5 of the Pesticides Control Act, the Minister for Resources and Rural Affairs, in consultation with the Prime Minister and the Minister for Social Policy, has made the following regulations:-

Title and scope. L.N. 199 of 2004.

**1.** (1) The title of these regulations is the Maximum Residue of Pesticides in Produce of Plant Origin (Amendment)(No. 2) Regulations, 2008 and they shall be read and construed as one with Maximum Residue Levels of Pesticides in Produce of Plant Origin Regulations, 2004, hereinafter referred to as "the principal regulations".

(2) The scope of these regulations is to transpose Commission Directives 2007/56/EC of 17 September 2007 amending certain Annexes to Council Directives 86/362/EEC, 86/363/EEC and 90/642/EEC as regards maximum residue levels for azoxystrobin, chlorothalonil, deltamethrin, hexachlorobenzene, ioxynil, oxamyl and quinoxyfen and 2007/73/EC of 13 December 2007 amending certain Annexes to Council Directives 86/362/EEC and 90/642/EEC as regards maximum residue levels for acetamiprid, atrazine, deltamethrin, imazalil, indoxacarb, pendimethalin, pymetrozine, pyraclostrobin, thiacloprid and trifloxystrobin.

Substitutes Schedule I to the principal regulations.

**2.** Schedule I to the principal regulations shall be substituted by Schedule I in Schedule A to these regulations.

Amends Schedule II to the principal regulations.

**3.** Schedule II to the principal regulations shall be amended as follows:-

(1) the column for *azoxystrobin* shall be substituted by Schedule B to these regulations;

(2) immediately after the column 'Chlormequat', there shall be added thereto the column for *chlorothalonil* as laid down in Schedule C to these regulations;

(3) immediately after the column 'Glyphosate' there shall be added thereto the column for *hexachlorobenzene* as laid down in Schedule D to these regulations;

(4) immediately after the column 'Indoxacarb' there shall be added thereto the column for'*ioxynil* as laid down in Schedule E of these regulations;

(5) the column for *oxamyl* shall be substituted by Schedule F to these regulations;

(6) immediately after column 'Pyrimethanil' there shall be added thereto the column for'*quinoxyfen* in Schedule G to these regulations;

(7) the section for *Atrazine* shall be substituted by Schedule H to these regulations;

(8) the section for *Acetamiprid* shall be substituted by Schedule I to these regulations;

(9) the section for *Deltamethrin* shall be substituted by Schedule J to these regulations;

(10) immediately after the column *hexythiazox* there shall be added thereto the column for *Imazalil* as laid down in Schedule K to these regulations;

(11) the section for *Indoxacarb* shall be substituted by Schedule L to these regulations;

(12) the section for *Pendimethalin* shall be substituted by Schedule M to these regulations;

(13) the section for *Pymetrozine* shall be substituted by Schedule N to these regulations;

(14) the section for *Pyraclostrobin* shall be substituted by Schedule O to these regulations;

(15) the section for *Thiacloprid* shall be substituted by Schedule P to these regulations;

(16) the section for *Trifloxystrobin* shall be substituted by Schedule Q to these regulations.

**Schedule A**

**(Regulation 2)**

**"SCHEDULE I**

**(Regulation 2)**

List of Produce and the part of Produce to which Maximum Residue Levels apply

| Groups of products | Products included in the groups | Part of product to which maximum residue levels apply |
|---|---|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts | | |
| (i) CITRUS FRUIT | Grapefruit | Whole product |
| | Lemons | |
| | Limes | |
| | Mandarins (including clementines and similar hybrids) | |
| | Oranges | |
| | Pomelos | |
| (ii) TREE NUTS (SHELLED or UNSHELLED) | Almonds | Whole product after removal of shell |
| | Brazil nuts | |
| | Cashew nuts | |
| | Chestnuts | |
| | Coconuts | |
| | Hazelnuts | |
| | Macadamia nuts | |
| | Pecans | |
| | Pine nuts | |
| | Pistachios | |
| | Walnuts | |
| (iii) POME FRUIT | Apples | Whole product after removal of stems |
| | Pears | |
| | Quinces | |

| | | |
|---|---|---|
| (iv) STONE FRUIT | Apricots | Whole product after removal of stems |
| | Cherries | |
| | Peaches (including nectarines and similar hybrids) | |
| | Plums | Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems |
| (v) BERRIES AND SMALL FRUIT | (a) *Table and wine grapes* | |
| | (b) *Strawberries* (other than wild) | |
| | (c) *Cane fruit* (other than wild):<br>Blackberries<br>Loganberries<br>Raspberries | |
| | (d) *Other small fruit and berries* (other than wild):<br>Bilberries<br>Cranberries<br>Currants (red, black and white)<br>Gooseberries | |
| | (e) *Wild berries and wild fruit* | |
| (vi) MISCELLANEOUS FRUIT | Avocados | Whole fruit after removal of stems (if any) and in the case of pineapple after remove of the crown |
| | Bananas | |
| | Dates | |
| | Figs | |
| | Kiwi Fruit | |
| | Kumquats | |
| | Litchis | |
| | Mangoes | |
| | Olives | Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water |
| | Papaya | Whole fruit after removal of stems (if any) and in the case of pineapple after remove of the crown |
| | Passion fruit | |
| | Pineapples | |
| | Pomegranates | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | |
| (i) ROOT AND TUBER VEGETABLES | Beetroot | Whole product after removal of tops and adhering soil (if any) |
| | Carrots | |
| | Cassava | |

| | | |
|---|---|---|
| | Celeriac | (removal of soil by rinsing in running water or by gentle brushing of the fry product) |
| | Horseradish | |
| | Jerusalem artichokes | |
| | Parsnips | |
| | Parsley root | |
| | Radishes | |
| | Salsify | |
| | Sweet potatoes | |
| | Swedes | |
| | Turnips | |
| | Yams | |
| (ii) BULB VEGETABLES | Garlic | Onions (dry), shallots (dry), garlic (dry): whole product after removal of easily detachable skin and soil (if any). Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any) |
| | Onions | |
| | Shallots | |
| | Spring onions | |
| (iii) FRUITING VEGETABLES | (a) *Solanacea*<br>Tomatoes<br>Peppers | Whole product after removal of stems |
| | (b) *Cucurbitis – edible peel*<br>Cucumbers<br>Gherkins<br>Courgettes | |
| | (c) *Cucurbitis – inedible peel*<br>Melons<br>Squashes<br>Watermelons | |
| | (d) *Sweet corn* | Kernels or cobs without husks |
| (iv) BRASSICA VEGETABLES | (a) Flowering brassicas<br>Broccoli<br>Cauliflower | Curd only |
| | (b) Head brassicas<br>Brussels sprouts<br>Head cabbage | Product after removal of decayed leaves |
| | (c) Leafy brassicas<br>Chinese cabbage<br>Kale | |
| | (d) Kohlrabi | Whole product after removal of tops and adhering soil (if |

| | | |
|---|---|---|
| | | any)(removal of soil by rinsing in running water or by gentle brushing of the dry product) |
| (v) LEAF VEGETABLES AND FRESH HERBS | (a) Lettuce and similar<br>Cress<br>Lamb's lettuce<br>Lettuce<br>Broad-leaf endive | Whole product after removal of decayed outer leaves, root and soil (if any) |
| | (b) Spinach and similar<br>Beet leaves (chard) | |
| | (c) Watercress | |
| | (d) Witloof | |
| | (e) Herbs<br>Chervil<br>Chives<br>Parsley | |
| (vi) LEGUME VEGETABLES (FRESH) | Beans | Whole product after removal of pods or with pods if they are intended to be eaten |
| | Peas | |
| (vii) STEM VEGETABLES | Asparagus | Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any) |
| | Cardoons | |
| | Celery | |
| | Fennel | |
| | Globe artichokes | |
| | Leeks | |
| | Rhubarb | |
| (viii) FUNGI | Mushrooms (other than wild) | Whole product after removal of soil or growing medium |
| | Wild mushrooms | |
| 3. Pulses | | |
| | Beans | Whole product |
| | Lentils | |
| | Peas | |
| 4. Oil seeds | | |
| | Hemp seed | Whole seed or kernel after removal of shell or husk, when possible |
| | Linseed | |
| | Peanuts | |
| | Poppy seed | |
| | Pumpkin seed | |

| | | |
|---|---|---|
| | Sesame seed | |
| | Sunflower seed | Whole seed including shell, when present, and whole seed without shell, when shell is absent |
| | Colza seed | Whole seed or kernel after removal of shell or husk, when possible |
| | Soya bean | |
| 5. Potatoes | | |
| | Early and ware potatoes | Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product) |
| 6. Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinesis*) | | |
| | | Whole product |
| 7. Hops (dried), including hop pellets and unconcentrated powder | | |
| | | Whole product |
| 8. Spices | | |
| | Cumin seed | Whole product’’. |
| | Juniper berries | |
| | Nutmeg | |
| | Pepper, black and white | |
| | Vanilla pods | |
| | Others | |

**Schedule B**

**Regulation 3(1)**

**“AZOXYSTROBIN**

| Column 1<br>Azoxystrobin | Column 2<br>MRL (mg/kg) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | 1 |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.1 (*) |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | 0.05 (*) |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | 0.05 (*) |
| Apricots | |
| Cherries | |
| Peaches (including nectarines and similar hybrids) | |
| Plums | |
| Others | |
| (v) **BERRIES AND SMALL FRUIT** | |

| | |
|---|---|
| (a) Table and wine grapes | 2 |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | 2 |
| (c) Cane fruit (other than wild) | |
| Blackberries | 3 |
| Dewberries | |
| Loganberries | |
| Raspberries | 3 |
| Others | 0.05 (*) |
| (d) Other small fruit and berries (other than wild) | 0.05 (*) |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | |
| Gooseberries | |
| Others | |
| (e) Wild berries and wild fruit | 0.05 (*) |
| (vi) **MISCELLANEOUS** | |
| Avocados | |
| Bananas | 2 |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | 0.2 |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | 0.2 |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | 0.05 (*) |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | |
| Beetroot | |
| Carrots | 0.2 |
| Cassava | |
| Celeriac | 0.3 |
| Horseradish | 0.2 |
| Jerusalem artichokes | |
| Parsnips | 0.2 |
| Parsley root | 0.2 |
| Radishes | 0.2 |
| Salsify | 0.2 |

| | |
|---|---|
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | 0.05 (*) |
| (ii) **BULB VEGETABLES** | |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | 2 |
| Others | 0.05 (*) |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | 2 |
| Tomatoes | |
| Peppers | |
| Aubergines | |
| Okra | |
| Others | |
| (b) Cucurbits — edible peel | 1 |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | 0.5 |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | 0.05 (*) |
| (iv) **BRASSICA VEGETABLES** | |
| (a) Flowering brassica | 0.5 |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | 0.3 |
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | 5 |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | 0.2 |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | |
| (a) Lettuce and similar | 3 |

| | |
|---|---|
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | 0.05 (*) |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | 0.05 (*) |
| (d) Witloof | 0.2 |
| (e) Herbs | 3 |
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | |
| Beans (with pods) | 1 |
| Beans (without pods) | 0.2 |
| Peas (with pods) | 0.5 |
| Peas (without pods) | 0.2 |
| Others | 0.05 (*) |
| (vii) **STEM VEGETABLES (fresh)** | |
| Asparagus | |
| Cardoons | |
| Celery | 5 |
| Fennel | 5(applied from 19/12/2007) |
| Globe artichokes | 1 |
| Leeks | 2 |
| Rhubarb | |
| Others | 0.05 (*) |
| (viii) **FUNGI** | 0.05 (*) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.1 |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | |
| Linseed | |

| | |
|---|---|
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | 0.5 |
| Soya bean | 0.5 |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/07) |
| Others | 0.05 (*) |
| 5. **Potatoes** | 0.05 (*) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.1 (*) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 20 |
| (*) Indicates lower limit of analytical determination.’’. | |

**Schedule C**

**Regulation 3(2)**

**“CHLOROTHALONIL**

| Column 1<br><br>Chlorothalonil | Column 2<br><br>MRL (mg/kg) (applied from 19/12/07) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | 0.01 (*) |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.01 (*) |
| Almonds | |

| | |
|---|---|
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | 1 |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | |
| Apricots | 1 |
| Cherries | |
| Peaches (including nectarines and similar hybrids) | 1 |
| Plums | |
| Others | 0.01 (*) |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | |
| Table grapes | 1 |
| Wine grapes | 3 |
| (b) Strawberries (other than wild) | 3 |
| (c) Cane fruit (other than wild) | 0.01 (*) |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | 2 |
| Currants (red, black and white) | 10 |
| Gooseberries | 10 |
| Others | 0.01 (*) |
| (e) Wild berries and wild fruit | 0.01 (*) |
| (vi) **MISCELLANEOUS** | |
| Avocados | |
| Bananas | 0.2 |
| Dates | |
| Figs | |

| | |
|---|---|
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | 20 |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | 0.01 (*) |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | |
| Beetroot | |
| Carrots | 1 |
| Cassava | |
| Celeriac | 1 |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | 0.01 (*) |
| (ii) **BULB VEGETABLES** | |
| Garlic | 0.5 |
| Onions | 0.5 |
| Shallots | 0.5 |
| Spring onions | 5 |
| Others | 0.01 (*) |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | 2 |
| Tomatoes | |
| Peppers | |
| Aubergines | |
| Okra | |
| Others | |
| (b) Cucurbits — edible peel | |
| Cucumbers | 1 |
| Gherkins | 5 |
| Courgettes | |

| | |
|---|---|
| Others | 0.01 (*) |
| (c) Cucurbits — inedible peel | 1 |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | 0.01 (*) |
| (iv) **BRASSICA VEGETABLES** | |
| (a) Flowering brassica | 3 |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | 3 |
| Head cabbage | 3 |
| Others | 0.01 (*) |
| (c) Leafy brassica | 0.01 (*) |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | 0.01 (*) |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | |
| (a) Lettuce and similar | 0.01 (*) |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | 0.01 (*) |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | 0.01 (*) |
| (d) Witloof | 0.01 (*) |
| (e) Herbs | 5 |
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | |
| Beans (with pods) | 5 |
| Beans (without pods) | 2 |

| | |
|---|---|
| Peas (with pods) | 2 |
| Peas (without pods) | 0.3 |
| Others | 0.01 (*) |
| (vii) **STEM VEGETABLES (fresh)** | |
| Asparagus | |
| Cardoons | |
| Celery | 10 |
| Fennel | |
| Globe artichokes | |
| Leeks | 10 |
| Rhubarb | |
| Others | 0.01 (*) |
| (viii) **FUNGI** | |
| (a) Cultivated mushrooms | 2 |
| (b) Wild mushrooms | 0.01 (*) |
| 3. **Pulses** | 0.01 (*) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | |
| Linseed | |
| Peanuts | 0.05 |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/07) |
| Others | 0.01 (*) |
| 5. **Potatoes** | 0.01 (*) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.1 (*) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 50 |

(*) Indicates lower limit of analytical determination.’’.

**Schedule D**

**Regulation 3(3)**

**"HEXACHLOROBENZENE**

| Column 1<br><br>Hexachlorobenzene | Column 2<br><br>MRL (mg/kg) (applied from 19/12/07) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | 0.01 (*) |
| (i) **CITRUS FRUIT** | |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | |
| Apricots | |

| | |
|---|---|
| Cherries | |
| Peaches (including nectarines and similar hybrids) | |
| Plums | |
| Others | |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | |
| (c) Cane fruit (other than wild) | |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | |
| Gooseberries | |
| Others | |
| (e) Wild berries and wild fruit | |
| (vi) **MISCELLANEOUS** | |
| Avocados | |
| Bananas | |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | 0.01 (*) |
| (i) **ROOT AND TUBER VEGETABLES** | |
| Beetroot | |
| Carrots | |
| Cassava | |
| Celeriac | |
| Horseradish | |

| | |
|---|---|
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | |
| (ii) **BULB VEGETABLES** | |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | |
| Tomatoes | |
| Peppers | |
| Aubergines | |
| Okra | |
| Others | |
| (b) Cucurbits — edible peel | |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | |
| (iv) **BRASSICA VEGETABLES** | |
| (a) Flowering brassica | |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | |
| Chinese cabbage | |

| | |
|---|---|
| Kale | |
| Others | |
| (d) Kohlrabi | |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | |
| (d) Witloof | |
| (e) Herbs | |
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | |
| Leeks | |
| Rhubarb | |
| Others | |
| (viii) **FUNGI** | |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.01 (*) |
| Beans | |
| Lentils | |

| | |
|---|---|
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | 0.05(applied from 19/12/07) |
| Others | 0.02 (*) |
| 5. **Potatoes** | 0.01 |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.02 (*) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 0.02 (*) |

(*) Indicates lower limit of analytical determination.’’.

**Schedule E**

**Regulation 3(4)**

**“IOXYNIL including its esters expressed as IOXYNIL**

| Column 1<br><br>Ioxynil including its esters expressed as Ioxynil | Column 2<br><br>MRl (mg/kg) (applied from 19/12/07) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | 0.05 (*) (p) |
| (i) **CITRUS FRUIT** | |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |

| | |
|---|---|
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | |
| Apricots | |
| Cherries | |
| Peaches (including nectarines and similar hybrids) | |
| Plums | |
| Others | |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | |
| (c) Cane fruit (other than wild) | |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | |
| Gooseberries | |
| Others | |
| (e) Wild berries and wild fruit | |

| | |
|---|---|
| (vi) **MISCELLANEOUS** | |
| Avocados | |
| Bananas | |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | |
| Beetroot | |
| Carrots | 0.2 (p) |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | 0.2 (p) |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | 0.05 (*) (p) |
| (ii) **BULB VEGETABLES** | |
| Garlic | 0.2 (p) |
| Onions | 0.2 (p) |
| Shallots | 0.2 (p) |
| Spring onions | 3 (p) |
| Others | 0.05 (*) (p) |
| (iii) **FRUITING VEGETABLES** | 0.05 (*) (p) |
| (a) Solanacea | |
| Tomatoes | |
| Peppers | |
| Aubergines | |
| Okra | |

| | |
|---|---|
| Others | |
| (b) Cucurbits — edible peel | |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | |
| (iv) **BRASSICA VEGETABLES** | 0.05 (*) (p) |
| (a) Flowering brassica | |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | 0.05 (*) (p) |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | |
| (d) Witloof | |
| (e) Herbs | |
| Chervil | |
| Chives | |
| Parsley | |

| | |
|---|---|
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | 0.05 (*) (p) |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | |
| Leeks | 3 (p) |
| Rhubarb | |
| Others | 0.05 (*) (p) |
| (viii) **FUNGI** | 0.05 (*) (p) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.05 (*) (p) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | 0.1 (*) (p) |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/07) |
| Others | |
| 5. **Potatoes** | 0.05 (*) (p) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.1 (*) (p) |
| 7. **Hops (dried), including hop pellets and** | 0.1 (*) (p) |

| | |
|---|---|
| **unconcentrated powder** | |
| (*) Indicates lower limit of analytical determination.<br>(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.’’. | |

**Schedule F**

**Regulation 3(5)**

**“OXAMYL**

| Column 1<br><br>Oxamyl | Column 2<br><br>MRL (mg/kg) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | 0.02 (*) (p) |
| Oranges | |
| Pomelos | |
| Others | 0.01 (*) (p) |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.01 (*) (p) |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | 0.01 (*) (p) |
| Apples | |

| | |
|---|---|
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | 0.01 (*) (p) |
| Apricots | |
| Cherries | |
| Peaches (including nectarines and similar hybrids) | |
| Plums | |
| Others | |
| (v) **BERRIES AND SMALL FRUIT** | 0.01 (*) (p) |
| (a) Table and wine grapes | |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | |
| (c) Cane fruit (other than wild) | |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | |
| Gooseberries | |
| Others | |
| (e) Wild berries and wild fruit | |
| (vi) **MISCELLANEOUS** | 0.01 (*) (p) |
| Avocados | |
| Bananas | |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | 0.01 (*) (p) |

| | |
|---|---|
| Beetroot | |
| Carrots | |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | |
| (ii) **BULB VEGETABLES** | 0.01 (*) (p) |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | |
| Tomatoes | 0.02 (p) |
| Peppers | 0.02 (p) |
| Aubergines | 0.02 (p) |
| Okra | |
| Others | 0.01 (*) (p) |
| (b) Cucurbits — edible peel | |
| Cucumbers | 0.02 (p) |
| Gherkins | 0.02 (p) |
| Courgettes | 0.03 (p) |
| Others | 0.01 (*) (p) |
| (c) Cucurbits — inedible peel | 0.01 (*) (p) |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | 0.01 (*) (p) |
| (iv) **BRASSICA VEGETABLES** | 0.01 (*) (p) |
| (a) Flowering brassica | |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |

| | |
|---|---|
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | 0.01 (*) (p) |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | |
| (d) Witloof | |
| (e) Herbs | |
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | 0.01 (*) (p) |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | 0.01 (*) (p) |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | |
| Leeks | |
| Rhubarb | |
| Others | |
| (viii) **FUNGI** | 0.01 (*) (p) |

| | |
|---|---|
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.01 (*) (p) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | 0.02 (*) (p) |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/07) |
| Others | |
| 5. **Potatoes** | 0.01 (*) (p) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.02 (*) (p) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 0.02 (*) (p) |
| (*) Indicates lower limit of analytical determination.<br>(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.’’. | |

**Schedule G**

**Regulation 3(6)**

**“QUINOXYFEN**

| Column 1<br><br>Quinoxyfen | Column 2<br><br>MRL (mg/kg) (applied from 19/12/07) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | 0.02 (*) (p) |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.02 (*) (p) |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | |
| Apples | 0.05 (p) |
| Pears | |
| Quinces | |
| Others | 0.02 (*) (p) |
| (iv) **STONE FRUIT** | |
| Apricots | 0.05 (p) |
| Cherries | 0.3 (p) |
| Peaches (including nectarines and similar hybrids) | 0.05 (p) |
| Plums | |
| Others | 0.02 (*) (p) |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | 1 (p) |
| Table grapes | |
| Wine grapes | |

| | |
|---|---|
| (b) Strawberries (other than wild) | 0.3 (p) |
| (c) Cane fruit (other than wild) | 0.02 (*) (p) |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | 2 (p) |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | |
| Gooseberries | |
| Others | |
| (e) Wild berries and wild fruit | 0.02 (*) (p) |
| (vi) **MISCELLANEOUS** | 0.02 (*) (p) |
| Avocados | |
| Bananas | |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | 0.02 (*) (p) |
| Beetroot | |
| Carrots | |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |

| | |
|---|---|
| Yam | |
| Others | |
| (ii) **BULB VEGETABLES** | 0.02 (*) (p) |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | 0.02 (*) (p) |
| Tomatoes | |
| Peppers | |
| Aubergines | |
| Okra | |
| Others | |
| (b) Cucurbits — edible peel | 0.02 (*) (p) |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | 0.05 (p) |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | 0.02 (*) (p) |
| (iv) **BRASSICA VEGETABLES** | 0.02 (*) (p) |
| (a) Flowering brassica | |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | 0.02 (*) (p) |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |

| | |
|---|---|
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | |
| (d) Witloof | |
| (e) Herbs | |
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | 0.02 (*) (p) |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | 0.3 (p) |
| Leeks | |
| Rhubarb | |
| Others | 0.02 (*) (p) |
| (viii) **FUNGI** | 0.02 (*) (p) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.02 (*) (p) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | 0.05 (*) (p) |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |

| | |
|---|---|
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/07) |
| Others | |
| 5. **Potatoes** | 0.02 (*) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.05 (*) (p) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 0.5 (p) |
| (*) Indicates lower limit of analytical determination.<br>(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.’’. | |

**Schedule H**

**Regulation 3(7)**

**“ATRAZINE**

| Column 1<br><br>Atrazine | Column 2<br><br>MRL (mg/kg) |
|---|---|
| CEREALS | 0.1(t) (applied from 19/12/07) |
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | 0.05(*) |
| (i) **CITRUS FRUIT** | |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |

| | |
|---|---|
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | |
| Apricots | |
| Cherries | |
| Peaches (including nectarines and similar hybrids) | |
| Plums | |
| Others | |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | |
| (c) Cane fruit (other than wild) | |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | |
| Gooseberries | |
| Others | |
| (e) Wild berries and wild fruit | |

| | |
|---|---|
| (vi) **MISCELLANEOUS** | |
| Avocados | |
| Bananas | |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | 0.05(*) |
| Beetroot | |
| Carrots | |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | |
| (ii) **BULB VEGETABLES** | 0.05(*) |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | 0.05(*) |
| Tomatoes | |
| Peppers | |
| Aubergines | |
| Okra | |

| | |
|---|---|
| Others | |
| (b) Cucurbits — edible peel | 0.05(*) |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | 0.05(*) |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | 0.1 |
| (iv) **BRASSICA VEGETABLES** | 0.05(*) |
| (a) Flowering brassica | |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | 0.05(*) |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | |
| (d) Witloof | |
| (e) Herbs | |
| Chervil | |
| Chives | |
| Parsley | |

| | |
|---|---|
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | 0.05(*) |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | 0.05(*) |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | |
| Leeks | |
| Rhubarb | |
| Others | |
| (viii) **FUNGI** | 0.05(*) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.05(*) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | 0.05(*) |
| 4. **Oilseeds** | |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | applied from 19/12/07 |
| Others | |
| 5. **Potatoes** | 0.05(*) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.1(*) |
| 7. **Hops (dried), including hop pellets and** | 0.1(*) |

| | |
|---|---|
| **unconcentrated powder** | |
| (t) Temporary MRLs valid until 1 June 2009, pending submission of residue data by the applicant<br>(*) Indicates lower limit of analytical determination.’’. | |

**SCHEDULE I**

**Regulation 3(8)**

**“ACETAMIPRID**

| Column 1<br><br>Acetamiprid | Column 2<br><br>MRL (mg/kg) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | 1(p) |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.01(*)(p) |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |

| | |
|---|---|
| Others | |
| (iii) **POME FRUIT** | 1(p) (applied from 15/06/2008) |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | |
| Apricots | 0.1 (p) |
| Cherries | 0.2(p) |
| Peaches (including nectarines and similar hybrids) | 0.1(p) |
| Plums | 0.02(*)(p)(applied from 15/06/2008) |
| Others | 0.01(*)(p) |
| (v) **BERRIES AND SMALL FRUIT** | 0.01(*)(p) |
| (a) Table and wine grapes | |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | |
| (c) Cane fruit (other than wild) | |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | |
| Gooseberries | |
| Others | |
| (e) Wild berries and wild fruit | |
| (vi) **MISCELLANEOUS** | 0.01(*)(p) |
| Avocados | |
| Bananas | |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | |
| Passion fruit | |

| | |
|---|---|
| Pineapples | |
| Pomegranate | |
| Others | |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | 0.01(*)(p) |
| Beetroot | |
| Carrots | |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | |
| (ii) **BULB VEGETABLES** | 0.01(*)(p) |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | |
| Tomatoes | 0.1(p) |
| Peppers | 0.3(p) |
| Aubergines | 0.1(p) |
| Okra | |
| Others | 0.01(*)(p)(applied from 15/06/2008) |
| (b) Cucurbits — edible peel | 0.3(p)(applied from 15/06/2008) |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | 0.01(*)(p)(applied from 15/06/2008) |
| Melons | |
| Squashes | |
| Watermelons | |

| | |
|---|---|
| Others | |
| (d) Sweet corn | 0.01(*)(p) |
| (iv) **BRASSICA VEGETABLES** | 0.01(*)(p) |
| (a) Flowering brassica | |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | 5(p) |
| Lettuce | 5(p) |
| Scarole (broad-leaf endive) | 5(p)(applied from 15/06/2008) |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | 0.01(*)(p) |
| (b) Spinach and similar | 0.01(*)(p) |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | 0.01(*)(p) |
| (d) Witloof | 0.01(*)(p) |
| (e) Herbs | (applied from 15/06/2008) |
| Chervil | |
| Chives | |
| Parsley | 5(p)(applied from 15/06/2008) |
| Celery leaves | |
| Others | 0.01(*)(p)(applied from 15/06/2008) |
| (vi) **LEGUME VEGETABLES(fresh)** | 0.01(*)(p) |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |

| | |
|---|---|
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | 0.01(*)(p) |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | |
| Leeks | |
| Rhubarb | |
| Others | |
| (viii) **FUNGI** | 0.01(*)(p) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.01(*)(p) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | 0.02(p) |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/2007) |
| Others | 0.01(*)(p) |
| 5. **Potatoes** | 0.01(*)(p) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.1(*)(p) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 0.1(*)(p) |

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1) (f) of Directive 91/414/EEC'.

(*) Indicates lower limit of analytical determination.''.

## SCHEDULE J

**Regulation 3(9)**

**“DELTAMETHRIN**

| Column 1<br><br>Deltamethrin<br>(cis-deltamethrin)(a) | Column 2<br><br>MRL (mg/kg) |
|---|---|
| CEREALS | 2 |
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | 0.05(*) |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.05(*) |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | |
| Apples | 0.2 |
| Pears | |

| | |
|---|---|
| Quinces | |
| Others | 0.1 |
| (iv) **STONE FRUIT** | |
| Apricots | |
| Cherries | 0.2 |
| Peaches (including nectarines and similar hybrids) | |
| Plums | |
| Others | 0.1 |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | 0.2 |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | 0.2 |
| (c) Cane fruit (other than wild) | |
| Blackberries | 0.5 |
| Dewberries | |
| Loganberries | |
| Raspberries | 0.5 |
| Others | 0.05(*) |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | 0.5 |
| Gooseberries | 0.2 |
| Others | 0.05(*) |
| (e) Wild berries and wild fruit | 0.05(*) |
| (vi) **MISCELLANEOUS** | |
| Avocados | |
| Bananas | |
| Dates | |
| Figs | |
| Kiwi | 0.2 |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | 1 |
| Olives (oil extraction) | 1 |
| Papaya | |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | 0.05(*) |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | 0.05(*) |
| Beetroot | |

| | |
|---|---|
| Carrots | |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | |
| (ii) **BULB VEGETABLES** | |
| Garlic | 0.1 |
| Onions | 0.1 |
| Shallots | 0.1 |
| Spring onions | 0.1 |
| Others | 0.05(*) |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | |
| Tomatoes | 0.3 |
| Peppers | |
| Aubergines | 0.3 |
| Okra | 0.3 |
| Others | 0.2 |
| (b) Cucurbits — edible peel | 0.2 |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | 0.2 |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | 0.05(*) |
| (iv) **BRASSICA VEGETABLES** | |
| (a) Flowering brassica | 0.1 |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | 0.1 |
| Brussels sprouts | |

| | |
|---|---|
| Head cabbage | |
| Others | |
| (c) Leafy brassica | 0.5 |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | 0.05(*) |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | |
| (a) Lettuce and similar | 0.5 |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | 0.5 |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | 0.05(*) |
| (d) Witloof | 0.05(*) |
| (e) Herbs | 0.5 |
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | 0.2 |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | 0.1 |
| Leeks | 0.2 |
| Rhubarb | |
| Others | 0.05(*) |
| (viii) **FUNGI** | 0.05 |
| (a) Cultivated mushrooms | |

| | |
|---|---|
| (b) Wild mushrooms | |
| 3. **Pulses** | 1 |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | 0.1 |
| Soya bean | |
| Mustard seed | 0.1 |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/2007) |
| Others | 0.05(*) |
| 5. **Potatoes** | 0.05(*) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 5 |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 5 |

(*) Indicates the lower limit of analytical determination

(a) Temporary MRLs valid until 1 November 2008, pending review of the Annex III dossier under Directive 91/414/EEC and re-registration of deltamethrin formulations at Member State level.’’.

**SCHEDULE K**

**Regulation 3(10)**

**“IMAZALIL**

| Column 1<br><br>Imazalil | Column 2<br><br>MRL (mg/kg)(applied from 15/09/2008) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | 0.05(*) |
| (i) **CITRUS FRUIT** | 5 |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.05(*) |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | 2 |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | 0.05(*) |
| Apricots | |
| Cherries | |
| Peaches (including nectarines and similar hybrids) | |
| Plums | |
| Others | |
| (v) **BERRIES AND SMALL FRUIT** | 0.05(*) |
| (a) Table and wine grapes | |
| Table grapes | |
| Wine grapes | |

| | |
|---|---|
| (b) Strawberries (other than wild) | |
| (c) Cane fruit (other than wild) | |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | |
| Gooseberries | |
| Others | |
| (e) Wild berries and wild fruit | |
| (vi) **MISCELLANEOUS** | |
| Avocados | |
| Bananas | 2 |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | 0.05(*) |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | 0.05(*) |
| Beetroot | |
| Carrots | |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |

| | |
|---|---|
| Yam | |
| Others | |
| (ii) **BULB VEGETABLES** | 0.05(*) |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | |
| Tomatoes | 0.5 |
| Peppers | |
| Aubergines | |
| Okra | |
| Others | 0.05(*) |
| (b) Cucurbits — edible peel | 0.2 |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | |
| Melons | 2 |
| Squashes | |
| Watermelons | |
| Others | 0.05(*) |
| (d) Sweet corn | 0.05(*) |
| (iv) **BRASSICA VEGETABLES** | 0.05(*) |
| (a) Flowering brassica | |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | 0.05(*) |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |

| | |
|---|---|
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | |
| (d) Witloof | |
| (e) Herbs | |
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | 0.05(*) |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | 0.05(*) |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | |
| Leeks | |
| Rhubarb | |
| Others | |
| (viii) **FUNGI** | 0.05(*) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.05(*) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | 0.05(*) |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |

| | |
|---|---|
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/07) |
| Others | |
| 5. **Potatoes** | 3 |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.1(*) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 0.1(*) |
| (*) Indicates the lower limit of analytical determination.’’. | |

**SCHEDULE L**

**Regulation 3(11)**

**“INDOXACARB**

| Column 1<br><br>Indoxacarb as a sum of the isomers S and R | Column 2<br><br>MRL (mg/kg) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | 0.02(*)(p) |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.05(p) |

| | |
|---|---|
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | |
| Apples | 0.5(p) |
| Pears | |
| Quinces | |
| Others | 0.3(p) |
| (iv) **STONE FRUIT** | |
| Apricots | 0.3(p) |
| Cherries | |
| Peaches (including nectarines and similar hybrids) | 0.3(p) |
| Plums | |
| Others | 0.02(*)(p) |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | 2(p) |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | 0.02(*)(p) |
| (c) Cane fruit (other than wild) | 0.02(*)(p) |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | 1(p) |
| Gooseberries | 1(p) |
| Others | 0.02(*)(p) |
| (e) Wild berries and wild fruit | 0.02(*)(p) |
| (vi) **MISCELLANEOUS** | (applied from 15/06/2008) |
| Avocados | |
| Bananas | 0.2(p)(applied from 15/06/2008) |

| | |
|---|---|
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | 0.02(*)(p)(applied from 15/06/2008) |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | (applied from 15/06/2008) |
| Beetroot | |
| Carrots | |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | 0.2(p)(applied from 15/06/2008) |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | 0.02(*)(p)(applied from 15/06/2008) |
| (ii) **BULB VEGETABLES** | 0.02(*)(p) |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | |
| Tomatoes | 0.5(p) |
| Peppers | 0.3(p) |
| Aubergines | 0.5(p) |
| Okra | |

| | |
|---|---|
| Others | 0.02(*)(p) |
| (b) Cucurbits — edible peel | 0.2(p) |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | 0.1(p) |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | 0.02(*)(p) |
| (iv) **BRASSICA VEGETABLES** | |
| (a) Flowering brassica | 0.3(p) |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | |
| Head cabbage | 3(p) |
| Others | 0.02(*)(p)(applied from 15/06/2008) |
| (c) Leafy brassica | |
| Chinese cabbage | 0.2(p) |
| Kale | 0.2(p) |
| Others | 0.02(*)(p) |
| (d) Kohlrabi | 0.02(*)(p) |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | 1(p)(applied from 15/06/2008) |
| Lettuce | 2(p) |
| Scarole (broad-leaf endive) | 2(p) |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | 0.02(*)(p) |
| (b) Spinach and similar | (applied from 15/06/2008) |
| Spinach | 2(applied from 15/06/2008) |
| Beet leaves (chard) | |
| Others | 0.02(*)(p)(applied from 15/06/2008) |
| (c) Water cress | 0.02(*)(p) |
| (d) Witloof | 0.02(*)(p) |
| (e) Herbs | 2(p) |

| | |
|---|---|
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | 0.02(*)(p) |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | 0.1(p) |
| Leeks | |
| Rhubarb | |
| Others | 0.02(*)(p) |
| (viii) **FUNGI** | 0.02(*)(p) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.02(*)(p) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | 0.5(p) |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/2007) |
| Others | 0.05(*)(p) |
| 5. **Potatoes** | 0.02(*)(p) |
| Early potatoes | |
| Ware potatoes | |

| | |
|---|---|
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.05(*) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 0.05(*) |

(*) Indicates the lower limit of analytical determination

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC''.

## SCHEDULE M

**Regulation 3(12)**

**"PENDIMETHALIN**

| Column 1<br><br>Pendimethalin | Column 2<br><br>MRL (mg/kg)(applied from 15/06/2008) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | 0.05(*) |
| (i) **CITRUS FRUIT** | |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |

| | |
|---|---|
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | |
| Apricots | |
| Cherries | |
| Peaches (including nectarines and similar hybrids) | |
| Plums | |
| Others | |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | |
| (c) Cane fruit (other than wild) | |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | |
| Gooseberries | |
| Others | |
| (e) Wild berries and wild fruit | |
| (vi) **MISCELLANEOUS** | |
| Avocados | |
| Bananas | |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | |
| Passion fruit | |

| | |
|---|---|
| Pineapples | |
| Pomegranate | |
| Others | |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | |
| Beetroot | |
| Carrots | 0.2 |
| Cassava | |
| Celeriac | 0.1 |
| Horseradish | 0.2 |
| Jerusalem artichokes | |
| Parsnips | 0.2 |
| Parsley root | 0.2 |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | 0.05(*) |
| (ii) **BULB VEGETABLES** | 0.05(*) |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | 0.05(*) |
| (a) Solanacea | |
| Tomatoes | |
| Peppers | |
| Aubergines | |
| Okra | |
| Others | |
| (b) Cucurbits — edible peel | |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | |
| (iv) **BRASSICA VEGETABLES** | 0.05(*) |

| | |
|---|---|
| (a) Flowering brassica | |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | 0.05(*) |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | |
| (d) Witloof | |
| (e) Herbs | |
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | 0.2 |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | |
| Asparagus | |
| Cardoons | |
| Celery | 0.1 |
| Fennel | |

| | |
|---|---|
| Globe artichokes | |
| Leeks | |
| Rhubarb | |
| Others | 0.05(*) |
| (viii) **FUNGI** | 0.05(*) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.2 |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | 0.1(*) |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/2007) |
| Others | |
| 5. **Potatoes** | 0.05(*) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.1(*) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 0.1(*) |

(*) Indicates the lower limit of analytical determination’’.

**SCHEDULE N**

**Regulation 3(13)**

**“PYMETROZINE**

| Column 1<br><br>Pymetrozine | Column 2<br><br>MRL (mg/kg) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | 0.3 |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.02(*) |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | 0.02(*) |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | |
| Apricots | 0.05 |
| Cherries | |
| Peaches (including nectarines and similar hybrids) | 0.05 |
| Plums | |
| Others | 0.02(*) |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | 0.02(*) |
| Table grapes | |

| | |
|---|---|
| Wine grapes | |
| (b) Strawberries (other than wild) | 0.5 |
| (c) Cane fruit (other than wild) | |
| Blackberries | 3 |
| Dewberries | |
| Loganberries | |
| Raspberries | 3 |
| Others | 0.02(*) |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | 0.5(applied from 15/06/2008) |
| Gooseberries | 0.5(applied from 15/06/2008) |
| Others | 0.02(*) |
| (e) Wild berries and wild fruit | 0.02(*) |
| (vi) **MISCELLANEOUS** | 0.02(*) |
| Avocados | |
| Bananas | |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | 0.02(*) |
| Beetroot | |
| Carrots | |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |

| | |
|---|---|
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | |
| (ii) **BULB VEGETABLES** | 0.02(*) |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | |
| Tomatoes | 0.5 |
| Peppers | 1 |
| Aubergines | 0.5 |
| Okra | |
| Others | 0.02(*) |
| (b) Cucurbits — edible peel | 0.5 |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | 0.2 |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | 0.02(*) |
| (iv) **BRASSICA VEGETABLES** | |
| (a) Flowering brassica | 0.02(*) |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | |
| Head cabbage | 0.05 |
| Others | 0.02(*) |
| (c) Leafy brassica | 0.2 |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | 0.02(*) |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | |
| (a) Lettuce and similar | 2 |

| | |
|---|---|
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | 0.02(*) |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | 0.02(*) |
| (d) Witloof | 0.02(*) |
| (e) Herbs | 1 |
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | 1 |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | 0.02(*) |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | |
| Leeks | |
| Rhubarb | |
| Others | |
| (viii) **FUNGI** | 0.02(*) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.02(*) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | |
| Linseed | |

| | |
|---|---|
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | 0.05 |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/2007) |
| Others | 0.02(*) |
| 5. **Potatoes** | 0.02(*) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.1(*) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 15 |

(*) Indicates the lower limit of analytical determination''.

**SCHEDULE O**

**Regulation 3(14)**

**"PYRACLOSTROBIN**

| Column 1<br><br>Pyraclostrobin | Column 2<br><br>MRL (mg/kg) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | 1(p) |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |

| | |
|---|---|
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | 1(p) |
| Walnuts | |
| Others | 0.02(*)(p) |
| (iii) **POME FRUIT** | 0.3(p) |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | |
| Apricots | 0.2(p) |
| Cherries | 0.3(p)(applied from 15/06/2008) |
| Peaches (including nectarines and similar hybrids) | 0.2(p) |
| Plums | 0.1(p) |
| Others | 0.02(*)(p) |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | |
| Table grapes | 1(p) |
| Wine grapes | 2(p) |
| (b) Strawberries (other than wild) | 0.5(p) |
| (c) Cane fruit (other than wild) | (applied from 15/06/2008) |
| Blackberries | 1(p)(applied from 15/06/2008) |
| Dewberries | |
| Loganberries | |
| Raspberries | 1(p)(applied from 15/06/2008) |
| Others | 0.02(*)(p) |
| (d) Other small fruit and berries (other than wild) | (applied from 15/06/2008) |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | 2(p)(applied from |

| | |
|---|---|
| | 15/06/2008) |
| Gooseberries | |
| Others | 0.5(p)(applied from 15/06/2008) |
| (e) Wild berries and wild fruit | 0.02(*)(p) |
| (vi) **MISCELLANEOUS** | |
| Avocados | |
| Bananas | |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | 0.05(p) |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | 0.05(p) |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | 0.02(*)(p) |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | |
| Beetroot | |
| Carrots | 0.1(p) |
| Cassava | |
| Celeriac | |
| Horseradish | 0.3(p) |
| Jerusalem artichokes | |
| Parsnips | 0.3(p) |
| Parsley root | 0.1(p)(applied from 15/06/2008) |
| Radishes | |
| Salsify | 0.1(p)(applied from 15/06/2008) |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | 0.02(*)(p) |
| (ii) **BULB VEGETABLES** | |
| Garlic | 0.2(p) |
| Onions | 0.2(p) |
| Shallots | 0.2(p) |
| Spring onions | |

| | |
|---|---|
| Others | 0.02(p) |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | |
| Tomatoes | 0.2(p) |
| Peppers | 0.5(p) |
| Aubergines | 0.2(p) |
| Okra | |
| Others | 0.02(*)(p) |
| (b) Cucurbits — edible peel | 0.02(*)(p) |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | 0.02(*)(p) |
| Melons | |
| Squashes | |
| Watermelons | |
| Others | |
| (d) Sweet corn | 0.02(*)(p) |
| (iv) **BRASSICA VEGETABLES** | |
| (a) Flowering brassica | 0.1(p) |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | |
| Brussels sprouts | 0.2(p) |
| Head cabbage | 0.2(p) |
| Others | 0.02(*)(p) |
| (c) Leafy brassica | 0.02(*)(p) |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | 0.02(*)(p) |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | 10(p)(applied from 15/06/2008) |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | 2(p)(applied from 15/06/2008) |
| (b) Spinach and similar | 0.02(*)(p) |

| | |
|---|---|
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | 0.02(*)(p) |
| (d) Witloof | 0.02(*)(p) |
| (e) Herbs | 2(p) |
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | 0.02(*)(p) |
| Beans (with pods) | |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | |
| (vii) **STEM VEGETABLES (fresh)** | |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | |
| Leeks | 0.5(p) |
| Rhubarb | |
| Others | 0.02(*)(p) |
| (viii) **FUNGI** | 0.02(*)(p) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.3(p) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | 0.02(*)(p) |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | |

| | |
|---|---|
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/2007) |
| Others | |
| 5. **Potatoes** | 0.02(*)(p) |
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.05(*)(p) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 10(p) |

(*) Indicates the lower limit of analytical determination.

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.''

**SCHEDULE P**

**Regulation 3(15)**

**"THIACLOPRID**

| Column 1<br><br>Thiacloprid | Column 2<br><br>MRL (mg/kg) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | 0.02(*)(p) |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.02(*)(p) |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |

| | |
|---|---|
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | 0.3(p) |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | |
| Apricots | 0.3(p)(applied from 15/06/2008) |
| Cherries | 0.3(p)(applied from 15/06/2008) |
| Peaches (including nectarines and similar hybrids) | 0.3(p)(applied from 15/06/2008) |
| Plums | 0.1(p) |
| Others | 0.02(*)(p) |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | 0.02(*)(p) |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | 0.5(p)(applied from 15/06/2008) |
| (c) Cane fruit (other than wild) | 1(p) |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | 1(p) |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | |
| Gooseberries | |
| Others | |
| (e) Wild berries and wild fruit | 0.02(*)(p) |
| (vi) **MISCELLANEOUS** | (applied from 15/06/2008) |
| Avocados | |
| Bananas | |
| Dates | |

| | |
|---|---|
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | |
| Olives (table consumption) | |
| Olives (oil extraction) | |
| Papaya | 0.5(p)(applied from 15/06/2008) |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | 0.02(*)(p)(applied from 15/06/2008) |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | 0.02(*)(p) |
| Beetroot | |
| Carrots | |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | |
| (ii) **BULB VEGETABLES** | 0.02(*)(p) |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | |
| Tomatoes | 0.5(p) |
| Peppers | 1(p) |
| Aubergines | 0.5(p) |
| Okra | |
| Others | 0.02(*)(p) |
| (b) Cucurbits — edible peel | 0.3(p) |

| | |
|---|---|
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |
| (c) Cucurbits — inedible peel | |
| Melons | 0.2(p) |
| Squashes | |
| Watermelons | 0.2(p) |
| Others | 0.02(*)(p) |
| (d) Sweet corn | 0.02(*)(p) |
| (iv) **BRASSICA VEGETABLES** | (applied from 15/06/2008) |
| (a) Flowering brassica | 0.02(*)(p)(applied from 15/06/2008) |
| Broccoli (including Calabrese) | |
| Cauliflower | |
| Others | |
| (b) Head brassica | 0.02(*)(p)(applied from 15/06/2008) |
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | 0.02(*)(applied from 15/06/2008) |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | 0.02(*)(p)(applied from 15/06/2008) |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | |
| (a) Lettuce and similar | 2(p)(applied from 15/06/2008) |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | 0.02(*)(p) |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | 0.02(*)(p) |
| (d) Witloof | 0.02(*)(p) |
| (e) Herbs | 3(p) |

| | |
|---|---|
| Chervil | |
| Chives | |
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | |
| Beans (with pods) | 1(p) |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | 0.02(*)(p) |
| (vii) **STEM VEGETABLES (fresh)** | 0.02(*)(p) |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | |
| Leeks | |
| Rhubarb | |
| Others | |
| (viii) **FUNGI** | 0.02(*)(p) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.02(*)(p) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | 0.3(p)(applied from 15/06/2008) |
| Soya bean | |
| Mustard seed | 0.2(p)(applied from 15/06/2008) |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/2007) |
| Others | 0.05(*)(p) |
| 5. **Potatoes** | 0.02(*)(p) |

| | |
|---|---|
| Early potatoes | |
| Ware potatoes | |
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.05(*)(p) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 0.05(*)(p) |

(*) Indicates the lower limit of analytical determination

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.''.

## SCHEDULE Q

**Regulation 3(16)**

**"TRIFLOXYSTROBIN**

| Column 1<br><br>Trifloxystrobin | Column 2<br><br>MRL (mg/kg) |
|---|---|
| 1. **Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts** | |
| (i) **CITRUS FRUIT** | 0.3(p) |
| Grapefruit | |
| Lemons | |
| Limes | |
| Mandarins (including clementines and other hybrids) | |
| Oranges | |
| Pomelos | |
| Others | |
| (ii) **TREE NUTS (shelled or unshelled)** | 0.02(*)(p) |
| Almonds | |
| Brazil nuts | |
| Cashew nuts | |
| Chestnuts | |
| Coconuts | |
| Hazelnuts | |
| Macadamia | |
| Pecans | |

| | |
|---|---|
| Pine nuts | |
| Pistachios | |
| Walnuts | |
| Others | |
| (iii) **POME FRUIT** | 0.5(p) |
| Apples | |
| Pears | |
| Quinces | |
| Others | |
| (iv) **STONE FRUIT** | |
| Apricots | 1(p) |
| Cherries | 1(p) |
| Peaches (including nectarines and similar hybrids) | 1(p) |
| Plums | 0.2(p) |
| Others | 0.02(*)(p) |
| (v) **BERRIES AND SMALL FRUIT** | |
| (a) Table and wine grapes | 5(p) |
| Table grapes | |
| Wine grapes | |
| (b) Strawberries (other than wild) | 0.5(p)(applied from 15/06/2008) |
| (c) Cane fruit (other than wild) | 0.02(*)(p) |
| Blackberries | |
| Dewberries | |
| Loganberries | |
| Raspberries | |
| Others | |
| (d) Other small fruit and berries (other than wild) | |
| Bilberries | |
| Cranberries | |
| Currants (red, black and white) | 1(p) |
| Gooseberries | 1(p) |
| Others | 0.02(*)(p) |
| (e) Wild berries and wild fruit | 0.02(*)(p) |
| (vi) **MISCELLANEOUS** | |
| Avocados | |
| Bananas | 0.05(p) |
| Dates | |
| Figs | |
| Kiwi | |
| Kumquats | |
| Litchis | |
| Mangoes | 0.5(p)(applied from 15/06/2008) |
| Olives (table consumption) | |

| | |
|---|---|
| Olives (oil extraction) | |
| Papaya | 1(p)(applied from 15/06/2008) |
| Passion fruit | |
| Pineapples | |
| Pomegranate | |
| Others | 0.02(*)(p) |
| 2. **Vegetables, fresh or uncooked, frozen or dry** | |
| (i) **ROOT AND TUBER VEGETABLES** | (applied from 15/06/2008) |
| Beetroot | |
| Carrots | 0.05(p)(applied from 15/06/2008) |
| Cassava | |
| Celeriac | |
| Horseradish | |
| Jerusalem artichokes | |
| Parsnips | |
| Parsley root | |
| Radishes | |
| Salsify | |
| Sweet potatoes | |
| Swedes | |
| Turnips | |
| Yam | |
| Others | 0.02(*)(p)(applied from 15/06/2008) |
| (ii) **BULB VEGETABLES** | 0.02(*)(p) |
| Garlic | |
| Onions | |
| Shallots | |
| Spring onions | |
| Others | |
| (iii) **FRUITING VEGETABLES** | |
| (a) Solanacea | |
| Tomatoes | 0.5(p) |
| Peppers | 0.3(p)(applied from 15/06/2008) |
| Aubergines | |
| Okra | |
| Others | 0.02(*)(p) |
| (b) Cucurbits — edible peel | 0.2(p) |
| Cucumbers | |
| Gherkins | |
| Courgettes | |
| Others | |

| | |
|---|---|
| (c) Cucurbits — inedible peel | |
| Melons | 0.3(p) |
| Squashes | |
| Watermelons | 0.2(applied from 15/06/2008) |
| Others | 0.02(*)(p) |
| (d) Sweet corn | 0.02(*)(p) |
| (iv) **BRASSICA VEGETABLES** | (applied from 15/06/2008) |
| (a) Flowering brassica | |
| Broccoli (including Calabrese) | 0.05(p)(applied from 15/06/2008) |
| Cauliflower | 0.05(p)(applied from 15/06/2008) |
| Others | 0.02(*)(p)(applied from 15/06/2008) |
| (b) Head brassica | 0.2(p)(applied from 15/06/2008) |
| Brussels sprouts | |
| Head cabbage | |
| Others | |
| (c) Leafy brassica | 0.02(*)(p)(applied from 15/06/2008) |
| Chinese cabbage | |
| Kale | |
| Others | |
| (d) Kohlrabi | 0.02(*)(p)(applied from 15/06/2008) |
| (v) **LEAF VEGETABLES AND FRESH HERBS** | 0.02(*)(p) |
| (a) Lettuce and similar | |
| Cress | |
| Lamb's lettuce | |
| Lettuce | |
| Scarole (broad-leaf endive) | |
| Ruccola | |
| Leaves and stems of brassica, including turnip greens | |
| Others | |
| (b) Spinach and similar | |
| Spinach | |
| Beet leaves (chard) | |
| Others | |
| (c) Water cress | |
| (d) Witloof | |
| (e) Herbs | |
| Chervil | |
| Chives | |

| | |
|---|---|
| Parsley | |
| Celery leaves | |
| Others | |
| (vi) **LEGUME VEGETABLES(fresh)** | |
| Beans (with pods) | 0.5(p) |
| Beans (without pods) | |
| Peas (with pods) | |
| Peas (without pods) | |
| Others | 0.02(*)(p) |
| (vii) **STEM VEGETABLES (fresh)** | (applied from 15/06/2008) |
| Asparagus | |
| Cardoons | |
| Celery | |
| Fennel | |
| Globe artichokes | |
| Leeks | 0.2(p)(applied from 15/06/2008) |
| Rhubarb | |
| Others | 0.02(*)(p)(applied from 15/06/2008) |
| (viii) **FUNGI** | 0.02(*)(p) |
| (a) Cultivated mushrooms | |
| (b) Wild mushrooms | |
| 3. **Pulses** | 0.02(*)(p) |
| Beans | |
| Lentils | |
| Peas | |
| Lupines | |
| Others | |
| 4. **Oilseeds** | 0.05(*)(p) |
| Linseed | |
| Peanuts | |
| Poppy seed | |
| Sesame seed | |
| Sunflower seed | |
| Rapeseed | |
| Soya bean | |
| Mustard seed | |
| Cotton seed | |
| Hemp seed | |
| Pumpkin seed | (applied from 19/12/2007) |
| Others | |
| 5. **Potatoes** | 0.02(*)(p) |
| Early potatoes | |
| Ware potatoes | |

| | |
|---|---|
| 6. **Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)** | 0.05(*)(p) |
| 7. **Hops (dried), including hop pellets and unconcentrated powder** | 30(p) |

(*) Indicates the lower limit of analytical determination

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.’’.

Ippubblikat mid-Dipartiment ta’ l-Informazzjoni (doi.gov.mt) — Valletta — *Published by the Department of Information (doi.gov.mt) — Valletta*
Mitbugh fl-Istamperija tal-Gvern — *Printed at the Government Printing Press*

Prezz/*Price*
€8.01